



**Configuration
of the
torch system**

**Selection of optional
plant
components**

**CAD data
download
or request**



SKS CAD PLANNER QUICK GUIDE

www.sks-welding.com/cad-planner

Solutions for: • ABB • FANUC • KUKA • YASKAWA / MOTOMAN

The SKS CAD Planner assists you planning your welding system. With only a few clicks, the requested 3D data will be provided for download in PDF, STP or IGS formats. Optionally, you can also download the CAD data of individual SKS welding machine components



New planning aid for plant installers online

SKS has developed a comprehensive tool to support the planning of welding cells. With only a few clicks, 3D data is provided for download in STP, IGS and PDF formats.

www.sks-welding.com/cad-planner


Contents

Introduction	Page 2
Login	Page 3
Select torch system and robot type	Page 4
Select torch neck	Page 5
Select gas nozzle	Page 6
Add optional welding machine components	Page 7
Request CAD data	Page 8

SKS CAD Planner – Introduction

The SKS CAD Planner

Get your CAD data with only a few clicks.



This document describes the use of the SKS CAD Planner
(www.sks-welding.com/cad-planner)

Implemented using state-of-the-art web technologies, this software tool allows you to get the CAD drawings for your desired – and technically feasible – welding system configuration. Depending on your user status and the data maintained in our database, you can directly download your drawings or request them from SKS. In the following, you will find step-by-step instructions from planning your system to downloading the desired drawings.

SKS CAD Planner - Login

The process is started by opening the CAD Planner in your web browser:

www.sks-welding.com/cad-planner



Here, you can log in using your existing user data **A** or continue without login **B**. If you are still not a registered user, you can register here by creating a new user account **C**.

This will take you to the actual CAD Planner screen. There, you can apply the following 5 steps to get your desired data:

- 1 Select torch system and robot type (page 4)
- 2 Select torch neck (page 5)
- 3 Select gas nozzle (page 6)
- 4 Add optional welding machine components (page 7)
- 5 Request CAD data (page 8)

1 Select torch system and robot type

The screenshot shows the SKS CAD planner interface. At the top, there is a navigation bar with 'Legal Notice' and 'Privacy' links, and the SKS WELDING SYSTEMS logo. The main heading is 'Planner for CAD data'. Below this, a paragraph explains the tool's purpose: 'SKS' CAD planner assists you in planning your system. With only a few clicks, your desired 3D data will be made available for download in STP, IGS and PDF file formats. Optionally, you can also download CAD data of the SKS welding machine components. If your desired configuration is not available, you can request it from us via e-mail.' A progress bar shows five steps: 1. Configure the torch system, 2. Select optional welding machine components, 3. Download or request CAD data, 4. (unlabeled), and 5. (unlabeled). Step 1 is currently active. To the right, a 'Helpdesk' box provides contact information: 'Do you have questions or need professional advice? We will be happy to provide further assistance. Phone: +49 6301 7986-0 service@de.sks-welding.com'. Below the progress bar, the 'Planning Aid' section is highlighted with a red box. It contains three dropdown menus: 'SKS torch system' with the label 'Select optional welding machine components?', 'Robot manufacturer' with the label 'Please select the torch system first.', and 'Robot type' with the label 'Please select the robot manufacturer first.'. To the right of the 'Planning Aid' is the 'Your selection' section, which lists the current selections for 'Torch system & robot type', 'Torch neck', 'Gas nozzle', and 'Optional components', each with a list of available options and their status (e.g., 'n/a').

Step 1: Select torch system and robot type

First, you will be prompted to select the desired torch system, robot manufacturer, and robot type. You can only select combinations that are technically feasible.

A valid combination is, for example:

SKS torch system:	Power Joint
Robot manufacturer:	Motoman/Yaskawa
Robot type:	EA1400


After the selection has been completed, the tool automatically guides you to step 2.

2 Select torch neck

Planning Aid

1 Select SKS welding torch and robot type ✓

2 Select torch neck



Torch neck		A	B	C
Part number	Version	Distance in mm	TCP length in mm	Angle in °
58-1-20-316-1	→	0	316	0
58-1-20-400-1	→	0	400	0
58-1-22-350-1	↘	-45	350	22
58-1-22-400-1	↘	-45	400	22
58-1-22-450-1	↘	-45	450	22
58-4-330-500-1	↘	-120	438.5	30
58-1-130-450-1	↘	0	450	30
58-1-35-400-1	↘	-70	400	35
58-1-45-350-1	↘	-90	350	45
58-1-45-400-1	↘	-90	400	45
58-1-45-450-1	↘	-90	450	45
58-4-345-450-1	↘	-120	388.5	45
58-4-345-507-1	↘	-120	505.5	45
58-4-360-450-1	↘	-120	368.5	60
58-1-245-400-1	↘	-62	400	45

Your selection

1 Torch system & robot type

Power Joint
ABB
IRB 1520D

2 Torch neck

Part number: n/a
Type: n/a
Margin: n/a
TCP length: n/a
Angle: n/a

3 Gas nozzle

Part number: n/a
Type: n/a
Diameter: n/a
Length: n/a
Version: n/a

4 Optional components

Power sources:
Controllers:
Wire feeders:
Interfaces:
Cables:

Step 2: Select torch neck

In the second step, you can select the desired torch neck from the list of available items. A technical drawing on the screen illustrates the TCP length, angle and distance of each torch. By clicking on the corresponding row in the table, the selected torch neck is added to your configuration and the tool automatically guides you to step 3 – the last and most important step to get possible layout plans for your welding machine.

3 Select gas nozzle

Planning Aid

- 1 Select SKS welding torch and robot type ✓
- 2 Select torch neck ✓
- 3 Select gas nozzle**
- 4 Add optional welding machine components
- 5 CAD Data Request

Gas nozzle

Gas nozzles are available in bottle or conical shapes and in different diameters to suit the requirements of different applications. For high-performance applications, heavy-duty versions are available in addition to our standard gas nozzles.

Part number	Design	ø in mm	Length	Type	Dimensions
401-48-50-G	bottle-shaped	13	short	standard	📄
41-8-13-BF	bottle-shaped	13	flush	standard	📄
401-42-50-G	bottle-shaped	13	long	standard	📄
41-8-13-TS	tapered	13	short	standard	📄
41-8-13-TF	tapered	13	flush	standard	📄
401-4-50-G	tapered	13	long	standard	📄
41-8-15-BB	bottle-shaped	15	short	standard	📄
401-8-82-G	tapered	16	short	standard	📄
41-8-16-TF	tapered	16	flush	standard	📄
401-4-82-G	tapered	16	long	standard	📄
41-8-13-BF	bottle-shaped	13	flush	heavy-duty	📄
401-6-50-G	tapered	13	long	heavy-duty	📄
401-81-82-G	tapered	18	short	heavy-duty	📄
41-8-16-TF	tapered	16	flush	heavy-duty	📄
401-8-82-G	tapered	16	long	heavy-duty	📄

Your selection

- 1 Torch system & robot type
Power Joint
ABB
IRB 1520D
- 2 Torch neck
Part number: 38-1-00-316-1
Type: gerade
Margin: 0
TCP length: 316
Angle: 0
- 3 Gas nozzle**
Part number: n/a
Type: n/a
Diameter ø: n/a
Length: n/a
Version: n/a
- 4 Optional components
Power source:
Controlers:
Wire feeders:
Interfaces:
Cables:

Step 3: Select the gas nozzle

This step is similar to step 2 „Select torch neck“. It offers the additional option to display dimensioned drawings of the gas nozzle via the „Dimensions“ column.

By clicking on the desired row of the table, your selection is saved and you will be guided to the next step. By completing step 3 you have fulfilled all conditions to obtain CAD data for your torch configuration.

4 Add optional welding machine components

The screenshot displays a software interface for configuring welding machine components. The main window is titled "4 Add optional welding machine components" and features a table of power sources. Below the table are buttons for "Controllers", "Wire feeders", "Interfaces", and "Console". A "Continue to next step" button is located at the bottom right of the table area. The sidebar on the right shows details for selected components:

- Torch neck**: Part number: 88-1-08-316-1, Type: grade, Margin: 0, TCP length: 316, Angle: 0.
- Gas nozzle**: Part number: 491-48-30-0, Type: bottle-shaped, Diameter in: 13, Length: short, Version: standard.
- Optional components**: Power source, Controller, Wire feeder, Interface, Console.

Step 4: Add optional welding machine components

In the following step, optional system components can be added. If you own the corresponding rights, you can download the selected components in a separate window.

Skip step

You will initially be prompted by the system if you want to add additional system components. By clicking on „No“ this step is skipped and you will be taken directly to the next step.

Select installation components

If you click on „Yes“, a selection menu with compatible machine components will be loaded. By clicking on the respective category (e. g. welding process controller) all suitable components will be displayed.

By clicking on the box at the end of a row, the components are added to the current configuration. It is possible to select multiple components.

5 Request CAD data

Optionally, you can also download CAD data of the SKS welding machine components. If your desired configuration is not available, you can request it from us via e-mail.

Configure the torch system Select optional welding machine components Download or request CAD data

1 → 2 → 3 → 4 → 5

Happy to provide further assistance.
Phone: +49 6301 7986-0
service@de.sks-welding.com

Planning Aid

- 1 Select SKS welding torch and robot type ✓
- 2 Select torch neck ✓
- 3 Select gas nozzle ✓
- 4 Add optional welding machine components ✓
- 5 CAD Data Request**

Note

The database was created with the greatest possible care; however, no guarantees for its correctness can be accepted. We therefore recommend performing a final verification.

Accept and proceed

Your selection

- 1 Torch system & robot type
Power joint: ABB IRB 1500D
- 2 Torch neck
Part number: 88-1-08-318-1
Type: gerade
Margin: 0
TCP length: 318
Angle: 0
- 3 Gas nozzle
Part number: 481-48-90-0
Type: bottle-shaped
Diameter: 13
Length: short
Version: standard
- 4 Optional components
Power source: 77-1184-28
Cables:
Wire feeders:
Interfaces:
Consoles:

Step 5: Request CAD data:

Accept disclaimer

In the last step, you need to agree to the disclaimer to continue.

Then – depending on your user status („activated“, „logged in“ or „unregistered“) – the result of your request will be displayed (see next page).

5 Request CAD data

1 Select SKS welding torch and robot type ✓

2 Select torch neck ✓

3 Select gas nozzle ✓

4 Add optional welding machine components ✓

5 CAD Data Request

Thank you very much for submitting your configuration. Please request the CAD data via the contact form below.

First name: Last name:

Company: E-mail:

Message:

1 Torch system & robot type

Power joint: ABB
IRB 1520D

2 Torch neck

Part number: SS-4-00-316-1
Type: gerade
Margin: 0
TCP length: 316
Angle: 0

3 Gas nozzle

Part number: 421-48-00-0
Type: bottle-shaped
Diameter c: 13
Length: short
Version: standard

4 Optional components

Power source: 77-1184-00
Controllers:
Wire feeders:
Interfaces:
Consoles:

Step 5: Request CAD data using the inquiry form

Activated users:

If the desired CAD data were found in the database maintained on the server, it can now be downloaded as a ZIP file. Optional system components are offered as a separate download. If the files are not yet available, an application form will be displayed and the data can be requested from SKS „manually“. When doing so, all components of your current configuration are automatically submitted to SKS.

Logged-in users:

Logged-in users without activation do not have the permission to download files, but can apply for it using the online application form. When using in the form, known data from your user registration is automatically filled in.

Unregistered users:

Unregistered users are not allowed to access files directly. They can only see the contact form and will be asked to send a request to SKS. When doing so, all components of your current configuration will be automatically submitted to SKS.



www.sks-welding.com

SKS Welding Systems GmbH | Marie-Curie-Strasse 14 | 67661 Kaiserslautern | Germany
info@de.sks-welding.com | www.sks-welding.com